

## Battery Testers

### Elite Battery Tester Ref: 38-908-000

A universal instrument designed for checking all types of batteries used in watches, calculators, cameras or electronic games etc. A metal probe permits testing of individually packaged batteries. Tests High Drain and Low Drain 1.5 volt Batteries as well as 3 volt Lithium Batteries.

**Important feature:** Pressing the red button on the top, simulates the average resistance undergone by the battery in quartz analogue watches when the motor effects a step.



### Watch and Battery Tester Ref: 38-908-500

The Watch and Battery Tester allows you to test analogue quartz watches before you open the the watch case to help determine if a repair instead of a battery change may be necessary.

The battery test station operates independantly of the watch test allowing both tests to be carried out simultaneously. Tests both 1.5volt Silver Oxide and 3volt lithium Batteries. The watch test station uses a CR2430 lithium battery (CR2430 included)



## Batteries

Trade orders only please!

We stock a comprehensive range of popular size watch batteries, including lithium, alkaline, AA, 9 & 12 volt at very competitive prices. Minimum order 20 batteries - 5 batteries per card.

### 1.5volt Silver Oxide Batteries

Name	Reference	Type	Name	Reference	Type
SR41SW	38-910-384	High Drain	SR41W	38-910-392	High Drain
SR43SW	38-910-301	Low Drain	SR44SW	38-910-303	High Drain
SR44W	38-910-357	High Drain	341	38-910-341	Low Drain
SR416SW	38-910-416	Low Drain	SR512SW	38-910-335	Low Drain
SR516SW	38-910-317	Low Drain	SR521SW	38-910-379	Low Drain
SR527SW	38-910-319	Low Drain	SR616SW	38-910-321	Low Drain
SR621SW	38-910-364	Low Drain	SR626SW	38-910-377	Low Drain
SR626W	38-910-376	High Drain	SR712SW	38-910-346	Low Drain
SR716SW	38-910-315	Low Drain	SR721SW	38-910-362	Low Drain
SR721W	38-910-361	High Drain	SR726SW	38-910-397	High Drain
SR726W	38-910-396	High Drain	SR731SW	38-910-329	Low Drain
SR754W	38-910-393	High Drain	SR916SW	38-910-373	Low Drain
SR920SW	38-910-371	Low Drain	SR920W	38-910-370	High Drain
SR927SW	38-910-395	Low Drain	SR927W	38-910-399	High Drain
SR936SW	38-910-394	Low Drain	SR1116W	38-910-365	High Drain
SR1120SW	38-910-381	Low Drain	SR1120W	38-910-391	High Drain
SR1130SW	38-910-390	Low Drain	SR1130W	38-910-389	High Drain
SR1136SW	38-910-344	Low Drain			

### 3volt Lithium Batteries

CR1025	38-910-500	CR1216	38-910-502	CR1220	38-910-504
CR1616	38-910-508	CR1620	38-910-510	CR2016	38-910-514
CR2025	38-910-518	CR2032	38-910-520	CR2320	38-910-522
CR2325	38-910-524	CR2430	38-910-526		

### 1.5volt

#### Super Heavy Duty

AA<sup>i</sup> 38-910-565 1.5volt  
<sup>i</sup> 4 batteries per pack - 40 per box

#### Alkaline Batteries

#### 1.5 volt

LR43 38-910-430  
LR44<sup>ii</sup> 38-910-440  
<sup>ii</sup>10 batteries per card

#### 12volt

GP23A 38-910-555




Volume discount applies for 100 assorted batteries and for full boxes of 100 batteries

## Rodico Cleaning Product

Ref: 38-810-000

For cleaning balance pivots, train wheel pivots, removing finger prints and stains from plates, bridges, dials, hands; removing excess oil from watch jewels and taking out broken pivots from the jewels.



## Vissin

Ref: 38-859-000

For extracting broken screws. Place the item with the broken screw in a heat proof container and cover with VISSIN. Boil slowly until a black substance exudes from the screw hole. Then rinse in water and clean with benzine.



## Screwdrivers



### AF Brand - Screwdriver

**Set of 9** Ref: 23-614-000  
This wood boxed set contains one each of the following flat blade screwdrivers complete with replacement blades; 0.5mm, 0.6mm, 0.8mm, 1.0mm, 1.2mm, 1.4mm, 1.6mm, 2.0mm and 2.5mm.

### Individual Screwdrivers

Individual Screwdrivers are available complete with replacement blades in the following sizes;



0.5mm	Ref: 23-612-050
0.6mm	Ref: 23-612-060
0.8mm	Ref: 23-612-080
1.0mm	Ref: 23-612-100
1.2mm	Ref: 23-612-120
1.4mm	Ref: 23-612-140
1.6mm	Ref: 23-612-160
2.0mm	Ref: 23-612-200
2.5mm	Ref: 23-612-250
3.0mm	Ref: 23-612-300

### Bergeon - Flat Blade Screwdriver Set of 9

Ref: 23-615-000 Features same as AF Brand.

### Rotating Stand/Screwdriver Set



Available in: -

**Anti-Magnetic** Ref: 23-611-000 or

**Standard** Ref: 23-612-000

Feature 9 Straight Blade Screwdrivers with swivel heads 0.5mm, 0.6mm, 0.8mm, 1.0mm, 1.2mm, 1.4mm, 1.6mm, 2.0mm, 2.5mm. Colour coded to simplify matching replacement blades. Supplied in a rotating stand that also accomodates one

of each size replacement blade in a colour coded holder.



### AF - Swiss Screwdrivers

Ref: 23-613-000 Set of 5 straight blade screwdrivers in a plastic wallet.

Screwdriver sizes:

0.6mm	0.8mm	1.0mm
1.2mm	1.4mm	

Kit includes one set of spare blades.

### Replacement Blades - available for all of the above sizes in packs of 10

0.5mm Ref: 23-613-05

0.6mm Ref: 23-613-006

0.8mm Ref: 23-613-008

1.0mm Ref: 23-613-010

1.2mm Ref: 23-613-012

1.4mm Ref: 23-613-014

1.6mm Ref: 23-613-016

2.0mm Ref: 23-613-020

2.5mm Ref: 23-613-025

3.0mm Ref: 23-613-030

### Replacement Anti-magnetic Blades

Available for all of the above sizes in packs of 10

0.5mm Ref: 23-611-05

0.6mm Ref: 23-611-006

0.8mm Ref: 23-611-008

1.0mm Ref: 23-611-010

1.6mm Ref: 23-611-016

2.0mm Ref: 23-611-020

### Replacement Grub Screws

Screw to hold blades in. pack of 5 Ref: 23-609

1.2mm Ref: 23-611-012

1.4mm Ref: 23-611-014

2.5mm Ref: 23-611-025

3.0mm Ref: 23-611-030

### Reversible Screwdrivers



Ref: 23-606-000

Set of 3 Swiss flat blade screwdrivers with reversible blades in plastic box. Sizes 0.80, 1.00 & 1.20mm

### Phillips Type Screwdrivers

**Set of 4** Ref: 23-650-000



High quality set of 4 Phillips type jewellers screwdrivers with swivel head. Supplied in a plastic wallet. The blades are fixed and measure 1.5mm, 2.0mm, 2.5mm and 3.0mm.

**Economy Set of 5** Ref: 23-652-000

5 economy screwdrivers 81mm long with swivel head. x type blades range from 2.0mm to 3.0mm

### Individual Phillips Type Screwdrivers

Individual high quality swivel head Phillips type screwdrivers with fixed blades are now available.

1.5mm Ref: 23-650-150

2.0mm Ref: 23-650-200

2.5mm Ref: 23-650-250

3.0mm Ref: 23-650-300

### Demagnetiser

Ref: 38-809-000

Protect those delicate instruments with this mains powered, one button operation Demagnetiser. Before using tweezers, screwdrivers, etc, just power on, hold the button in and pass the tool over the flat pad above the button.




## Case Back & Glass Fitting Press

### Clamp Style Press

Ref: 38-805-000

Practical and economical tool for people who have difficulty replacing snap-on backs on watches after replacing the battery. Supplied with 12 reversible nylon dies this Press is also used for replacing crystal glasses on watches



Replacement set of nylon dies Ref: 38-805-100

### Screwdown Press

Ref: 38-805-700

High quality precision tool provides perfect alignment and even clamping pressure with good "feel" for fitting snap-on watch backs and crystal glasses .



### 4 Black Die Set

Set of 4 dies to suit the Screwdown press for fitting bezels. Ref: 38-805-750

## Watch Case Holders

### Aluminium Case Holder

Ref: 38-802-000

Has 4 strong plastic pins and is adjustable to hold all sizes of cases. Can be held in a vice for the hard to open watch cases. Ideal companion for your case opener. Weight: 140g  
Spare Pin Ref: 38-802-001



### Clamp-on Case Holder

Ref: 38-802-100

Suits most size watch cases. Mounts to your bench to leave both hands free for removing screw backs on watches.



## Watch Case Openers

### Economy Waterproof Case Opener


Ref: 38-907-100

Fully adjustable 3 jaw opener will fit most screw type case backs. Supplied in a wooden box. with 4 different pin sets.

Weight: 400g.

Replacement Pin Sets

Ref: 38-907-101



### Jaxa Waterproof Case Opener Ref: 38-907-300

Original Swiss 3jaw case opener for professional watchmakers. Supplied complete with 4 sets of prongs



### Reversible Case Opener

Ref: 38-907-000

With 2 reversible pins for various case backs.

Instant adjustment. Supplied with locking nut.

Spare Pin Ref: 38-907-001



### Folding Knife Case Opener

Ref: 38-909-000

2 blade pocket knife type



### Fixed Blade Case Opener

Ref: 38-909-300

Strong, easy-grip metal handle



### Lift Blade Case Opener Ref: 38-909-100

Heavy duty opener with thin edge to get into tight fitting case backs.

Lever upwards to open.

**Do not twist!**



### Rolex type Case Opener

Ref: 38-907-200

Key for opening Oyster cases manufactured by Rolex.

Supplied with six quick fit snap on milled chucks.

18.5, 20.2, 22.5, 26.5, 28.3 & 29.5mm .



## Silicon Greaser Ref: 38-817-100

Sponge saturated with silicon grease for quickly and evenly lubricating gaskets.

Simply drop the gasket onto the sponge, close the lid and twist. Remove gasket with tweezers and place into case.



## Silicon Grease

Ref: 38-817-000

30gr jar.

Silicon grease for watches



## Watch-Band Link Remover

Ref: 38-806-000

Easy to use, screw in type link remover in hard black plastic and hardened steel pin. Supplied with 'L' and 'G' spacers to adjust to correct height.

Please note - the pin must be driven in-line with link or the pin may bend then break.

Replacement pin **38-806-001**



## Band Holder for Removing Links

Ref: 38-818-000

with slots to hold all metal watch bands. When used with Punches (Ref: 38-819), links and pins can be removed easily.



### Set of 3 Punches

Ref: 38-819-000

To punch out pins in metal watch bands.

Sizes: 0.70, 0.80 & 1.00mm

Spare Pins (for Punches)

0.70mm Ref: 38-819-070

0.80mm Ref: 38-819-080 1.00mm Ref: 38-819-100



## Link Removing Tool on Base



Ref: 38-820-100

The safest and easiest tool to remove links, swivels and pins from metal watch bands.

Complete as a set with pins, flat screwdrivers and phillips type screwdrivers, Band holder and gooseneck punch guide



## Bench Mats

**Non adhesive**

Ref: 38-815-000

Light green Size 250x350mm

**Anti-static** Dark green size 250mm x 350mm

For working on electronic watches. Prevents electrostatic discharges and does not attract dust. Ref: 38-815-100



## Spring Bar Tools

**Reference**

**Type**

38-906-000

AF (Swiss)

38-906-200

Bergeon (Swiss)

38-906-500

Anchor (Economy)

**Replacement parts**

**Round tip**

**Brand**

**Fork tip.**

38-906-001

AF

38-906-002

38-906-201


Bergeon

38-906-202

38-906-501

Anchor

38-906-502



## Watch Strap Notching Pliers

Ref: 27-792-100

Makes a notch 1.5mm wide, suitable for leather or synthetic straps. (For making Cartier style straps)



## Hole Punch Pliers

Ref: 38-801-000

For punching extra holes in straps, quickly, easily and accurately.



## Bracelet Pliers

**Standard** Ref: 38-826-000

Designed to slot into the band and lift the pin. Safe and quick.



## Watch Band Cutter

For cutting metal bands to length in one quick & easy action.

Handle length 250mm.

Ref: 38-905-000



## Watch Band Filing Block

Ref: 38-804-000


Fits gents and ladies sizes

Weight: 57g



Economy Model

Ref: 38-804-100



## Spring Loaded Punches

**P1 Punch** Ref: 38-906-700

**P2 Punch**

Ref: 38-906-710

P1 Replacement tips

Ref: 38-906-701

P2 Replacement tips

Ref: 38-906-711



## Watch Pressure Tester

Ref: 38-808-000



Safely test watches without removing the movement. Simple, easy to use, manual operation. Not recommended for watches over 100m water resistant. Please follow the instructions carefully. Tests to 3 Bar (New Model)

## Super Elite Elma Ref: 38-800-000



Well made Swiss cleaning machine with 3 square glass jars and a drying chamber. Has a timer and adjustable rotating speed. Accessories available separately.

Stainless steel screw type mesh baskets to hold jewels etc whilst cleaning.



## Movement Holder

Ref: 38-803-000

Reversible and adjustable to hold smaller to medium movements.

Ref: 38-803-100

Medium to large.

Ref: 38-803-200 Multi size -Economy



## Parts Cover



Plastic dual tray cover for storing job parts away from dust. One single compartment tray and one tray with 8 compartments



## Hand Remover

Ref: 38-807-000

Hand remover for wrist watches, tips will not damage the dial. Weight: 25g




Ref: 38-807-100 Economy type.

## Rivetting Stake

Ref: 38-811-000

36 holes, 0.5 - 2.5mm.



## Assorted Pins

In pkts, 80mm long

0.4 to 3.5mm thick.

38-821-000 Hardened blue steel

38-823-000 Tapered nickle

38-822-100 Brass 150mm long,  
0.7mm to 4mm thick



## Oilers

Set of 4 Oilers - Extra Fine, Fine, Medium and Large



Oilers sold separately.

38-850-001 super fine Black

38-850-002 extra fine Red

38-850-003 fine Blue

38-850-004 medium Green

38-850-005 large Yellow

## Oil pots



Ref: 38-860-000

Set of 4 in glass stand with hinged cover.

## Dust Blower

Bergeon high quality.

Ref: 38-812-000

Economy type

Ref: 38-812-100



Use to remove dust from around a watch case before opening the back and from replacement parts before replacing them. Do not use inside opened watches.

## Pegwood

Genuine pegwood in bundles. 150mm long.

38-875-200 2.00mm

38-875-300 3.00mm

38-875-400 4.00mm

